PALM In	iranei
---------	--------

Application SEARCH Number

IDS Flag Clearance for Application

10645362

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	12-29-2003	13	Ŋ	03-08-2006 15:41:10 KReichle
M844	06-01-2004	14	>	03-08-2006 15:41:10 KReichle

UPDATE



PALM INTRANET

Day : Sunday Date: 3/19/2006

Time: 12:20:06

Inventor Name Search Result

Your Search was:

Last Name = EHRNSPERGER

First Name = BRUNO

					
Application#	Patent#	Status	Date Filed	Title	Inventor Name
10645362	Not Issued	30	08/21/2003	Absorbent cores for absorbent diapers having reduced thickness and improved liquid handling and retention performance and comprising a super absorbent polymer	EHRNSPERGER, BRUNO
60649539	Not Issued	159	02/04/2005	Water swellable material	EHRNSPERGER, BRUNO
10168879	6932797	150	06/21/2002	LIQUID REMOVAL SYSTEM WHICH IS COMPRESSIBLE IN THE LONGITUDINAL AND/OR IN THE TRANSVERSE DIRECTION	EHRNSPERGER, BRUNO HOHANNES
09106225	6186991	150	06/29/1998	DISPOSABLE ARTICLE HAVING A RESPONSIVE SYSTEM INCLUDING A MECHANICAL ACTUATOR	EHRNSPERGER, BRUNO J.
09106423	6160200	150	06/29/1998	DIRECTIONALLY PREFERENTIAL WASTE PASSAGE MEMBER FOR USE WITH DISPOSABLE ABSORBENT ARTICLE	EHRNSPERGER, BRUNO J.
<u>09106424</u>	6160198	150	06/29/1998	DISPOSABLE ARTICLE HAVING A DISCONTINUOUS RESPONSIVE SYSTEM	EHRNSPERGER, BRUNO J.
09107563	6093869	150		DISPOSABLE ARTICLE HAVING A RESPONSIVE SYSTEM INCLUDING A FEEDBACK CONTROL LOOP	EHRNSPERGER, BRUNO J.
09342766	6384296	150	06/29/1999	DISPOSABLE ARTICLE HAVING A RESPONSIVE SYSTEM INCLUDING AN	EHRNSPERGER, BRUNO J.

				ELECTRICAL ACTUATOR	
09342785	6433244	150	06/29/1999		EHRNSPERGER, BRUNO J.
09381928	6437213	150	09/27/1999	ABSORBENT ARTICLE HAVING IMPROVED FLUID ACQUISITION PERFORMANCE	EHRNSPERGER, BRUNO JOHANNES
09646076	Not Issued	161	09/13/2000	Liquid distribution materials with improved distribution properties under sub-saturation	EHRNSPERGER, BRUNO JOHANNES
09674053	6720471	150	10/25/2000	ABSORBENT ARTICLES HAVING REDUCED REWET WITH DISTRIBUTION MATERIALS POSITIONED UNDERNEATH STORAGE MATERIAL	EHRNSPERGER, BRUNO JOHANNES
09674057	6713661	150	10/25/2000	ABSORBENT ARTICLES PROVIDING IMPROVED FIT WHEN WET	EHRNSPERGER, BRUNO JOHANNES
<u>09674225</u>	6664439	150	10/27/2000	ABSORBENT ARTICLES WITH DISTRIBUTION MATERIALS POSITIONED UNDERNEATH STORAGE MATERIAL	EHRNSPERGER, BRUNO JOHANNES
09720164	6500337	150	12/20/2000	METHOD FOR OIL REMOVAL AND TRANSPORT, AND DEVICE FOR OIL REMOVAL AND TRANSPORT	EHRNSPERGER, BRUNO JOHANNES
09720165	Not Issued	168	12/20/2000	Liquid transfer device, and use of the device for irrigation	EHRNSPERGER, BRUNO JOHANNES
<u>09720167</u>	6727403	150	12/20/2000	ABSORBENT ARTICLE EXHIBITING HIGH SUSTAINED ACQUISITION RATES	EHRNSPERGER, BRUNO JOHANNES
09720171	Not Issued	161	12/20/2000	Device for absorbing or collecting a liquid	EHRNSPERGER, BRUNO JOHANNES
<u>09720187</u>	6811842	150		LIQUID TRANSPORT MEMBER FOR HIGH FLUX RATES BETWEEN TWO PORT REGIONS	EHRNSPERGER, BRUNO JOHANNES
09720188	Not Issued	168		Liquid transport member for high flux rates against gravity	EHRNSPERGER, BRUNO JOHANNES
09720189	Not Issued	168		Liquid transport member having high permeability bulk regions	EHRNSPERGER, BRUNO JOHANNES

				and high threshold pressure port regions	
09720191	6545194	150	12/20/2000	DEVICE FOR MANAGING BODY FLUIDS COMPRISING A FAST ACQUIRING LIQUID HANDLING MEMBER THAT EXPANDS UPON LIQUID ACQUISITION AND CONTRACTS UPON LIQUID RELEASE	EHRNSPERGER, BRUNO JOHANNES
09720192	6764476	150	12/20/2000	ABSORBENT ARTICLE COMPRISING A LIQUID HANDLING MEMBER THAT RAPIDLY DISTRIBUTES ACQUIRED LIQUID	EHRNSPERGER, BRUNO JOHANNES
09720223	6497689	150	12/20/2000	DEVICE FOR HANDLING BODY LIQUIDS WHICH TRANSPORTS BODY LIQUID BY SIPHONING	EHRNSPERGER, BRUNO JOHANNES
09720224	6659992	150	12/20/2000	ABSORBENT ARTICLE INSTANTEOUSLY STORING LIQUID IN A PREDEFINED PATTERN	EHRNSPERGER, BRUNO JOHANNES
09720225	6506960	150	12/20/2000	ABSORBENT ARTICLE COMPRISING A LIQUID HANDLING MEMBER HAVING HIGH SUCTION AND HIGH PERMEABILITY	EHRNSPERGER, BRUNO JOHANNES
09778371	6791004	150	02/07/2001	ABSORBENT ARTICLE WITH THERMAL CELL ACTUATOR	EHRNSPERGER, BRUNO JOHANNES
09778375	6989471	150	02/07/2001	ABSORBENT ARTICLE WITH PHASE CHANGE MATERIAL	EHRNSPERGER, BRUNO JOHANNES
09849554	6855173	150	05/04/2001	USE OF ABSORBENT MATERIALS TO SEPARATE WATER FROM LIPOPHILIC FLUID	EHRNSPERGER, BRUNO JOHANNES
09857742	6683229	150	08/08/2001	DISPOSABLE ABSORBENT ARTICLE STORING LIQUID IN A CONSTANT PATTERN	EHRNSPERGER, BRUNO JOHANNES
10168877	Not Issued	41	11/26/2002	Liquid handling member with inner materials having good creep recovery and high expansion factor	EHRNSPERGER, BRUNO JOHANNES
10168878	Not	41	03/07/2003	Liquid handling member with a	EHRNSPERGER,

	Issued			membrane assembly comprising a membrane wetting region	BRUNO JOHANNES
10168884	Not Issued	41	06/21/2002	Liquid removal system having reduced dimensions and reduced weight	EHRNSPERGER, BRUNO JOHANNES
10168885	Not Issued	161	06/21/2002	Hygiene article comprising a membrane containing interface device and body adhesives	EHRNSPERGER, BRUNO JOHANNES
<u>10168886</u>	6849065	150	06/21/2002	LIQUID REMOVAL SYSTEM HAVING IMPROVED DRYNESS OF THE USER FACING SURFACE	EHRNSPERGER, BRUNO JOHANNES
10168887	Not Issued	41	06/21/2002	Liquid handling systems comprising three-dimensionally shaped membranes	EHRNSPERGER, BRUNO JOHANNES
10323572	Not Issued	71	12/18/2002		EHRNSPERGER, BRUNO JOHANNES
10325235	Not Issued	71	12/19/2002	Absorbent article with increased convective gas flow rates therethrough	EHRNSPERGER, BRUNO JOHANNES
10430918	Not Issued	61	05/07/2003	Micro fiber textured paper tissue and method of making it	EHRNSPERGER, BRUNO JOHANNES
10776839	Not Issued	30	02/11/2004	Thin and dry diaper	EHRNSPERGER, BRUNO JOHANNES
10776851	Not Issued	71	02/11/2004	Comfortable diaper	EHRNSPERGER, BRUNO JOHANNES
10881090	Not Issued	71	06/30/2004	Absorbent structures comprising coated superabsorbent polymer particles	EHRNSPERGER, BRUNO JOHANNES
10911797	Not Issued	20	08/05/2004	Process for making water- swellable material comprising coated water-swellable polymers	EHRNSPERGER, BRUNO JOHANNES
10911883	Not Issued	71	08/05/2004	Process for making water- swellable material comprising coated water-swellable polymers	EHRNSPERGER, BRUNO JOHANNES
10912001	Not Issued	71	08/05/2004	Absorbent article comprising coated water-swellable material	EHRNSPERGER, BRUNO JOHANNES
10912002	Not Issued	71	08/05/2004	Coated water-swellable material	EHRNSPERGER, BRUNO JOHANNES
10912004	Not	71	08/05/2004	Absorbent article comprising	EHRNSPERGER,

	Issued		coated water-swellable material	BRUNO JOHANNES
10912332	Not Issued	30		EHRNSPERGER, BRUNO JOHANNES
11195272	Not Issued	30	Barrier cuff for a unitary disposable absorbent article having intermediate bond for sustained fit	EHRNSPERGER, BRUNO JOHANNES
11251311	Not Issued	25	Absorbent article including barrier leg cuff structure and absorbent core with superabsorbent material	EHRNSPERGER, BRUNO JOHANNES

Search and Display More Records.

	Last Name	First Name
Search Another: Inventor	Ehrnsperger	Bruno Search

To go back use Back button on your browser toolbar.

Back to <u>FALM</u> <u>ASSIGNMENT</u> OASIS Home page

Hit List

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 8 of 8 returned.

1. Document ID: US 20050101217 A1

Using default format because multiple data bases are involved.

L5: Entry 1 of 8

File: PGPB

May 12, 2005

PGPUB-DOCUMENT-NUMBER: 20050101217

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050101217 A1

TITLE: System and method for dry forming absorbent cores

PUBLICATION-DATE: May 12, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Delzer, Troy Butler PA US Walter, John Renfrew PA US

US-CL-CURRENT: 442/417; 156/276, 156/285, 442/381, 442/394

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

2. Document ID: US 20050013992 A1

L5: Entry 2 of 8 File: PGPB Jan 20, 2005

PGPUB-DOCUMENT-NUMBER: 20050013992

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050013992 A1

TITLE: Crosslinked polyamine coating on superabsorbent hydrogels

PUBLICATION-DATE: January 20, 2005

INVENTOR-INFORMATION:

NAME CITY COUNTRY STATE Azad, Michael M Charlotte NC US Charlotte Herfert, Norbert NC US Mitchell, Michael Waxhaw NC US Robinson, Jim Chesapeake VA US

US-CL-CURRENT: 428/327; 427/212, 428/221, 428/336, 428/402.21, 428/402.22, 428/407

Record List Display

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KMC | Draw Da

3. Document ID: US 20040039360 A1

L5: Entry 3 of 8

File: PGPB

Feb 26, 2004

PGPUB-DOCUMENT-NUMBER: 20040039360

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040039360 A1

TITLE: Absorbent cores for absorbent diapers having reduced thickness and improved liquid handling and retention performance and comprising a <u>super absorbent</u> polymer

PUBLICATION-DATE: February 26, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Ehrnsperger, Bruno Bad Soden DE Schoenborn, Udo Friedel Bad Soden DE

US-CL-CURRENT: 604/368

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

4. Document ID: US 20030135176 A1

L5: Entry 4 of 8 File: PGPB

Jul 17, 2003

PGPUB-DOCUMENT-NUMBER: 20030135176

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030135176 A1

TITLE: System and method for depositing particulate matter in absorbent cores

PUBLICATION-DATE: July 17, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Delzer, Troy Butler PA US Walter, John Renfrew PA US

US-CL-CURRENT: 604/368; 604/374

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KMC | Draw De

5. Document ID: US 20030134559 A1

L5: Entry 5 of 8 File: PGPB Jul 17, 2003

Record List Display Page 3 of 4

PGPUB-DOCUMENT-NUMBER: 20030134559

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030134559 A1

TITLE: System and method for dry forming absorbent cores

PUBLICATION-DATE: July 17, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Delzer, Troy Butler PA US Walter, John Renfrew PA US

US-CL-CURRENT: 442/394

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KOMC | Draw. De

6. Document ID: US 20030130638 A1

L5: Entry 6 of 8 File: PGPB Jul 10, 2003

PGPUB-DOCUMENT-NUMBER: 20030130638

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030130638 A1

TITLE: System and method for dry forming zoned absorbent cores

PUBLICATION-DATE: July 10, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Baker, Andrew Lawrenceville GA US

US-CL-CURRENT: 604/368; 604/374

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

7. Document ID: US 6832905 B2

L5: Entry 7 of 8 File: USPT Dec 21, 2004

US-PAT-NO: 6832905

DOCUMENT-IDENTIFIER: US 6832905 B2

TITLE: System and method for dry forming absorbent cores

 8. Document ID: CN 1678358 A, US 20040039360 A1, EP 1393757 A1, WO 2004018007 A1, EP 1430912 A1, AU 2003262855 A1, EP 1393757 B1, DE 60201601 E, MX 2005001391 A1, DE 60201601 T2, JP 2005536292 W

L5: Entry 8 of 8

File: DWPI

Oct 5, 2005

DERWENT-ACC-NO: 2004-213966

DERWENT-WEEK: 200606

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Absorbent core for absorbent incontinence articles, e.g. baby diapers, includes <u>super absorbent gelling</u> material in the form of <u>particles</u> having surface coating with partially hydrolyzable cationic polymer

Full	Title Citation Fr	ont Review C	lassification D	ate Reference		Claims	KOMO Draw De
Clear	Generate	Collection	Print	Fwd Refs	Bkwd Refs	Genera	ite OACS
200000000000000000000000000000000000000							
	Terms			Docum	nents		
	L4 and BBS	S			<u>.</u>		8

Dienlay	Format:	_	Ch	anae	For	mat
Dispiay	rvi mat.		***************************************			

<u>Previous Page</u> <u>Next Page</u> <u>Go to Doc#</u>

Record List Display Page 1 of 4

Hit List

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 8 of 8 returned.

1. Document ID: US 20050101217 A1

AB: An apparatus and method for dry forming absorbent cores are disclosed. The apparatus has a rotatable drum having a substantially cylindrical surface. A vacuum surface having one or more holes is located substantially circumferentially around at least a portion of the substantially cylindrical surface. A vacuum chamber is located within the rotatable drum. The vacuum chamber has one or more vacuum passages forming a vacuum zone subadjacent at least a portion of the vacuum surface. A first casing sheet is supplied to overlie the vacuum surface at a first location, and a fibrous material is supplied to overlie the first casing sheet at a second location. A supply of particulate matter is deposited onto the fibrous material at a third location, and a second casing sheet is supplied to overlie the first casing sheet, fibrous material and particulate matter at a fourth location, thereby forming an absorbent core composite.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Dram Des

2. Document ID: US 20050013992 A1

AB: The invention concerns superabsorbent <u>particles</u> with a shell, wherein said shell comprises a cationic polymer crosslinked by the addition of crosslinker and adhered to hydrogel-forming polymer obtainable by applying a coating solution, containing both a cationic polymer and crosslinker, to hydrogel-forming polymer having a residual water content of less than 10 w %, their production and use.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw. Des

3. Document ID: US 20040039360 A1

AB: The present invention relates to absorbent cores for absorbent articles, which are intended to receive and retain bodily discharges such as urine. Such articles are disposable hygiene articles like baby diapers, training pants, adult incontinence articles, feminine care articles and the like. The improvement essentially is based on the recognition that replacing most or all of the cushioning fibrous absorbent material in an absorbent core by a liquid storage material capable of retaining liquid while maintaining or improving acquisition behavior is desirable as the

Page 2 of 4 Record List Display

reduction in cushioning is more than compensated by the gain in comfort. The comfort however can only be achieved if the more fundamental requirements of a diaper in respect to liquid handling are satisfied or improved. Especially if this liquid handling performance is improved beyond the performance of conventional absorbent structures in order to allow creation of thinner and drier absorbent articles, the users of such articles would experience them as providing a more than expected comfort improvement relative to the thinness gain. To provide such absorbent cores and articles made therewith only became possible with the development of new highly absorbent gel materials capable of acquiring, conducting, and storing liquids in here-to-fore unexpected perfection at super absorbent polymer concentrations, which are unknown today. The second aspect allowing this breakthrough development is the ability to maintain the comfort and performance of such high super absorbent polymer concentration articles during the full usage cycle of the article, from dry to fully loaded, especially by improving the ability of the cores to withstand the forces experienced by such articles during use. This ability to remain intact is also often referred to as wet integrity of the core and its improvement is an important objective of the present invention.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Des

4. Document ID: US 20030135176 A1

An apparatus and method for depositing particulate matter into a supply of fibrous material are disclosed. The apparatus has a feed tray having an outlet positioned above a moving supply of fibrous material. A motor is coupled to the feed tray for vibrating the feed tray. When the motor vibrates the feed tray particulate matter in the feed tray is deposited onto the supply of fibrous material, and when the motor does not vibrate the feed tray substantially no particulate matter in the feed tray is deposited onto the supply of fibrous material. The feed tray may have a gate spaced above the pan, behind which particulate matter is held when the motor is not vibrating.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw Des

5. Document ID: US 20030134559 A1

An apparatus and method for dry forming absorbent cores are disclosed. The apparatus has a rotatable drum having a substantially cylindrical surface. A vacuum surface having one or more holes is located substantially circumferentially around at least a portion of the substantially cylindrical surface. A vacuum chamber is located within the rotatable drum. The vacuum chamber has one or more vacuum passages forming a vacuum zone subadjacent at least a portion of the vacuum surface. A first casing sheet is supplied to overlie the vacuum surface at a first location, and a fibrous material is supplied to overlie the first casing sheet at a second location. A supply of particulate matter is deposited onto the fibrous material at a third location, and a second casing sheet is supplied to overlie the first casing sheet, fibrous material and

Record List Display Page 3 of 4

particulate matter at a fourth location, thereby forming an absorbent core composite.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Des

6. Document ID: US 20030130638 A1

AB: An apparatus and method for depositing particulate matter onto a supply of absorbent core fibrous substrate material are disclosed. The apparatus has a feed tray that has an inlet for receiving a supply of particulate matter. At least part of a lower pan of the feed tray is a slideable shuttle pan that has an outlet edge located near a supply of absorbent core fibrous substrate material that is moving in a machine direction. The supply of particulate matter passes over the outlet edge to exit the feed tray. A mechanism operates the shuttle pan through a range of motion having a forward stroke and a backward stroke. During the forward stroke, the outlet edge follows the supply of absorbent core fibrous substrate material.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Des

7. Document ID: US 6832905 B2

AB: An apparatus and method for dry forming absorbent cores are disclosed. The apparatus has a rotatable drum having a substantially cylindrical surface. A vacuum surface having one or more holes is located substantially circumferentially around at least a portion of the substantially cylindrical surface. A vacuum chamber is located within the rotatable drum. The vacuum chamber has one or more vacuum passages forming a vacuum zone subadjacent at least a portion of the vacuum surface. A first casing sheet is supplied to overlie the vacuum surface at a first location, and a fibrous material is supplied to overlie the first casing sheet at a second location. A supply of particulate matter is deposited onto the fibrous material at a third location, and a second casing sheet is supplied to overlie the first casing sheet, fibrous material and particulate matter at a fourth location, thereby forming an absorbent core composite.

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | Claims | KMIC | Draw Des

8. Document ID: CN 1678358 A, US 20040039360 A1, EP 1393757 A1, WO 2004018007 A1, EP 1430912 A1, AU 2003262855 A1, EP 1393757 B1, DE 60201601 E, MX 2005001391 A1, DE 60201601 T2, JP 2005536292 W

AB: NOVELTY - An absorbent core for absorbent incontinence articles, e.g. baby diapers, contains a <u>super absorbent gelling</u> material

in the form of <u>particles</u> having surface coating with a partially hydrolyzable cationic polymer. The coating is less than 10 wt.%. The <u>super absorbent gelling</u> material is at least 60 wt.%.

DETAILED DESCRIPTION - An absorbent core for absorbent incontinence articles, e.g. baby diapers, comprises a <u>super absorbent gelling</u> material in the form of <u>particles</u>. The <u>particles</u> have a longest and a smallest dimension with a particulate ratio of longest to smallest <u>particle</u> dimension of 1-5. They are provided with a surface cross-linking to provide the <u>particles</u> with an individual <u>particle</u> stability such that the absorbent gel material (AGM) <u>super absorbent gelling</u> material has a measured saline flow conductivity (<u>SFC</u>) of at least 30 units. They further have a non-covalently bonded surface coating with a partially hydrolyzable cationic polymer, such that the <u>super absorbent gelling</u> material has a measured ball burst strength (<u>BBS</u>) of more than 80 g of force after 30 minutes and a <u>BBS</u> after 16 hours of at least 50% of the <u>BBS</u> after 30 minutes. The coating is less than 10 wt.%. The <u>super absorbent gelling</u> material is at least 60 wt.%.

USE - For absorbent incontinence articles, e.g. baby diapers or adult incontinence articles, which can receive and retain bodily discharges, such as urine (claimed).

ADVANTAGE - The inventive absorbent core has reduced thickness and improved liquid handling and retention performance.

Full Tit	le Citation Front Review Classification Date R	eference Claims KWC Draw. Des
		·
Clear	Generate Collection Print Fv	vd Refs Bkwd Refs Generate OACS
	Terms	Documents
اِ	L4 and BBS	8

Display Format: AB Change Format

Previous Page Next Page Go to Doc#